

CÁMARA 4/10

Características geométricas · Caracteristiques geometriques · Geometric characteristis

Ref.

	mm	mm	mm	mm	mm	mm	mm	f x g (mm <sup>2</sup> ) (*)	mm	mm	MxL	
<b>CCTV-4/10 - 4 - 110</b>	4000	110	158	170	110	3330	70 x 74	215	20 x 600			
<b>CCTV-4/10 - 6 - 110</b>	6000	110	182	170	110	5330	59 x 74	285	22 x 700			
<b>CCTV-4/10 - 8 - 110</b>	8000	110	206	170	110	7330	59 x 74	285	22 x 700			
<b>CCTV-4/10 - 9 - 110</b>	9000	110	218	170	110	8330	59 x 74	285	22 x 700			
<b>CCTV-4/10 - 10 - 110</b>	10000	110	230	170	110	9330	59 x 74	285	22 x 700			


\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.



CÁMARA 15/20

Características geométricas · Caracteristiques geometriques · Geometric characteristics

\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.



Ref.

Ref.	mm	mm	mm	mm	mm	mm	f x g (mm <sup>2</sup> )	(*) mm	MxL
<b>CCTV-15/20 - 15 - 110</b>	15000	110	290	170	110	14330	65 x 74	350	27 x 1000
<b>CCTV-15/20 - 16 - 110</b>	16000	110	302	170	110	15330	65 x 74	350	27 x 1000
<b>CCTV-15/20 - 18 - 110</b>	18000	110	326	170	110	17330	65 x 74	350	27 x 1000
<b>CCTV-15/20 - 20 - 110</b>	20000	110	350	170	110	19330	65 x 74	550	27 x 1000



**ABATIBLE -4000**

Características geométricas · Caracteristiques geometriques · Geometric characteristis

Ref.

	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm <sup>2</sup> ) (*)	mm	MxL	
<b>ABAT-4 - 3 - 60</b>	3000	60	99	400	70	500	29 x 64	64	14 x 400			
<b>ABAT-4 - 3,5 - 60</b>	3500	60	106	400	80	500	39 x 74	74	14 x 400			
<b>ABAT-4 - 4 - 60</b>	4000	60	112	400	80	500	51 x 74	74	16 x 500			
<b>ABAT-4 - 3 - 76</b>	3000	76	115	400	70	500	61 x 64	64	16 x 500			
<b>ABAT-4 - 3,5 - 76</b>	3500	76	122	400	80	500	66 x 74	74	16 x 500			
<b>ABAT-4 - 4 - 76</b>	4000	76	124	400	80	500	71 x 74	74	16 x 500			

\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.



**ABATIBLE 5-14**

Características geométricas · Caracteristiques geometriques · Geometric characteristics

\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.







Ref.

Ref.	mm	mm	mm	mm	mm	mm	f x g (mm <sup>2</sup> )	(*) mm	MxL
ABAT-5/14 - 5 - 60	5000	60	120	400	85	500	53x79	215	24 x 800
ABAT-5/14 - 6 - 60	6000	60	132	400	85	500	74x79	215	24 x 800
ABAT-5/14 - 7 - 60	7000	60	144	400	85	500	92x79	285	24 x 800
ABAT-5/14 - 8 - 60	8000	60	156	400	85	500	87x79	285	24 x 800
ABAT-5/14 - 9 - 60	9000	60	168	500	100	500	105x94	285	24 x 800
ABAT-5/14 - 10 - 60	10000	60	180	500	100	500	122x94	285	24 x 800
ABAT-5/14 - 12 - 60	12000	60	204	500	100	500	145x94	285	24 x 800
ABAT-5/14 - 5 - 76	5000	76	136	400	85	500	80x79	215	24 x 800
ABAT-5/14 - 6 - 76	6000	76	148	400	85	500	97x79	215	24 x 800
ABAT-5/14 - 7 - 76	7000	76	160	400	85	500	113x79	285	24 x 800
ABAT-5/14 - 8 - 76	8000	76	172	400	85	500	111x79	285	24 x 800
ABAT-5/14 - 9 - 76	9000	76	184	500	100	500	128x94	285	24 x 800
ABAT-5/14 - 10 - 76	10000	76	196	500	100	500	143x94	285	24 x 800
ABAT-5/14 - 12 - 76	12000	76	220	500	100	500	165x94	285	24 x 800
ABAT-5/14 - 14 - 76	14000	76	244	600	150	500	194x94	285	24 x 800
ABAT-5/14 - 5 - 88	5000	88	148	400	85	500	92x79	215	24 x 800
ABAT-5/14 - 6 - 88	6000	88	160	400	85	500	109x79	215	24 x 800
ABAT-5/14 - 7 - 88	7000	88	172	400	85	500	125x79	285	24 x 800
ABAT-5/14 - 8 - 88	8000	88	184	500	100	500	123x94	285	24 x 800
ABAT-5/14 - 9 - 88	9000	88	196	500	100	500	140x94	285	24 x 800
ABAT-5/14 - 10 - 88	10000	88	208	500	100	500	155x94	285	24 x 800
ABAT-5/14 - 12 - 88	12000	88	232	500	100	500	177x94	285	24 x 800
ABAT-5/14 - 14 - 88	14000	88	256	600	150	500	206x94	285	24 x 800
ABAT-5/14 - 9 - 102	9000	102	210	500	100	500	152x94	285	24 x 800
ABAT-5/14 - 10 - 102	10000	102	222	500	100	500	167x94	285	24 x 800
ABAT-5/14 - 12 - 102	12000	102	246	500	100	500	189x94	350	27 x 1000
ABAT-5/14 - 14 - 102	14000	102	270	600	150	500	218x144	350	27 x 1000
ABAT-5/14 - 12 - 124	12000	124	268	500	100	500	209x94	350	27 x 1000
ABAT-5/14 - 14 - 124	14000	124	292	600	150	500	238x144	350	27 x 1000

MÁSTIL

Características geométricas · Caracteristiques geometriques · Geometric characteristics

Ref.

				
	mm	mm (*)	mm	MxL
<b>MASTIL - 4 - 60</b>	4000	60	215	16 x 500
<b>MASTIL - 5 - 60</b>	5000	60	215	16 x 500
<b>MASTIL - 6 - 60</b>	6000	60	215	16 x 500
<b>MASTIL - 7 - 60</b>	7000	60	285	20 x 600
<b>MASTIL - 8 - 60</b>	8000	60	285	20 x 600
<b>MASTIL - 9 - 60</b>	9000	60	285	22 x 700
<b>MASTIL - 10 - 60</b>	10000	60	285	22 x 700
<b>MASTIL - 12 - 60</b>	12000	60	285	22 x 700

\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.



PROYECTORES

Características geométricas · Caracteristiques geometriques · Geometric characteristics

\* Las medidas pueden variar según países.  
 Les mesures peuvent varier selon pays.  
 Measurements may vary according to countries.



Ref.

Ref.	Diagram 1	Diagram 2	Diagram 3	Diagram 4	Diagram 5	Diagram 6	Diagram 7	Diagram 8	Diagram 9	Diagram 10	Diagram 11
	mm	mm	mm	mm	mm	mm	mm	f x g (mm <sup>2</sup> )	(*) mm	mm	MxL
<b>PROY - 14 - 88</b>	14000	88	256	600	150	500	175x144	350		27 x 1000	
<b>PROY - 15 - 88</b>	15000	88	268	600	150	500	185x144	350		27 x 1000	
<b>PROY - 16 - 88</b>	16000	88	280	600	150	500	200x144	350		27 x 1000	
<b>PROY - 14 - 102</b>	14000	102	270	600	150	500	195x144	350		27 x 1000	
<b>PROY - 15 - 102</b>	15000	102	282	600	150	500	205x144	350		27 x 1000	
<b>PROY - 16 - 102</b>	16000	102	294	600	150	500	220x144	350		27 x 1000	
<b>PROY - 18 - 102</b>	18000	102	318	600	150	500	250x144	350		27 x 1000	
<b>PROY - 20 - 102</b>	20000	102	342	600	150	500	275x144	350		27 x 1000	
<b>PROY - 14 - 124</b>	14000	124	292	600	150	500	215x144	350		27 x 1000	
<b>PROY - 15 - 124</b>	15000	124	304	600	150	500	230x144	350		27 x 1000	
<b>PROY - 16 - 124</b>	16000	124	316	600	150	500	245x144	350		27 x 1000	
<b>PROY - 18 - 124</b>	18000	124	340	600	150	500	275x144	350		27 x 1000	
<b>PROY - 14 - 150</b>	14000	150	318	600	150	500	245x144	350		27 x 1000	
<b>PROY - 15 - 150</b>	15000	150	330	600	150	500	265x144	350		27 x 1000	
<b>PROY - 16 - 150</b>	16000	150	342	600	150	500	275x144	350		27 x 1000	