

AM-10

Características geométricas · Caracteristiques geometriques · Geometric characteristics

Ref.

Ref.	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL
AM-10-B - 5 - 60 - 10	5000	60	127	1000	1000	170	110	410	65 x 65	215	16 x 500
AM-10-B - 5 - 60 - 15	5000	60	130	1500	1500	170	110	410	65 x 65	215	16 x 500
AM-10-B - 5 - 60 - 20	5000	60	132	2000	2000	170	110	410	65 x 65	215	16 x 500
AM-10-B - 6 - 60 - 10	6000	60	139	1000	1000	170	110	410	65 x 90	285	16 x 500
AM-10-B - 6 - 60 - 15	6000	60	142	1500	1500	170	110	410	65 x 90	285	16 x 500
AM-10-B - 6 - 60 - 20	6000	60	144	2000	2000	170	110	410	65 x 90	285	16 x 500
AM-10-B - 7 - 60 - 10	7000	60	151	1000	1000	170	110	440	76 x 95	285	20 x 600
AM-10-B - 7 - 60 - 15	7000	60	154	1500	1500	170	110	440	76 x 95	285	20 x 600
AM-10-B - 7 - 60 - 20	7000	60	156	2000	2000	170	110	440	76 x 95	285	20 x 600
AM-10-B - 8 - 60 - 10	8000	60	163	1000	1000	200	150	440	68 x 100	285	20 x 600
AM-10-B - 8 - 60 - 15	8000	60	166	1500	1500	200	150	440	68 x 100	285	20 x 600
AM-10-B - 8 - 60 - 20	8000	60	168	2000	2000	200	150	440	68 x 100	285	20 x 600
AM-10-B - 9 - 60 - 10	9000	60	175	1000	1000	200	150	440	72 x 120	285	22 x 700
AM-10-B - 9 - 60 - 15	9000	60	178	1500	1500	200	150	440	72 x 120	285	22 x 700
AM-10-B - 9 - 60 - 20	9000	60	180	2000	2000	200	150	440	72 x 120	285	22 x 700
AM-10-B - 10 - 60 - 10	10000	60	187	1000	1000	200	150	440	87 x 130	285	22 x 700
AM-10-B - 10 - 60 - 15	10000	60	190	1500	1500	200	150	440	87 x 130	285	22 x 700
AM-10-B - 10 - 60 - 20	10000	60	192	2000	2000	200	150	440	87 x 130	285	22 x 700
AM-10-B - 11 - 60 - 10	11000	60	199	1000	1000	200	150	440	100 x 130	285	22 x 700
AM-10-B - 11 - 60 - 15	11000	60	202	1500	1500	200	150	440	100 x 130	285	22 x 700
AM-10-B - 11 - 60 - 20	11000	60	204	2000	2000	200	150	440	100 x 130	285	22 x 700
AM-10-B - 12 - 60 - 10	12000	60	211	1000	1000	200	150	440	113 x 140	285	22 x 700
AM-10-B - 12 - 60 - 15	12000	60	214	1500	1500	200	150	440	113 x 140	285	22 x 700
AM-10-B - 12 - 60 - 20	12000	60	216	2000	2000	200	150	440	113 x 140	285	22 x 700
AM-10-B - 12 - 60 - 25	12000	60	221	2500	2000	200	150	440	113 x 140	285	22 x 700
AM-10-B - 14 - 60 - 15	14000	60	238	1500	1500	200	150	440	139 x 135	285	24 x 800
AM-10-B - 14 - 60 - 20	14000	60	240	2000	2000	200	150	440	139 x 135	285	24 x 800
AM-10-B - 14 - 60 - 25	14000	60	245	2500	2000	200	150	440	139 x 135	285	24 x 800
AM-10-B - 16 - 76 - 20	16000	76	280	2000	2000	200	150	440	165 x 135	350	27 x 1000
AM-10-B - 16 - 76 - 25	16000	76	285	2500	2000	200	150	440	165 x 135	350	27 x 1000
AM-10-B - 18 - 76 - 25	18000	76	309	2500	2000	200	150	440	191 x 135	350	27 x 1000

* Las medidas pueden variar según países.
Les mesures peuvent varier selon pays.
Measurements may vary according to countries.



APM-10

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.




Ref.

Ref.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL
APM-10-B - 5 - 60 - 10	5000	60	127	1000	1000	300	90	450	64 x 74	215	16 x 500				
APM-10-B - 5 - 60 - 15	5000	60	130	1500	1500	300	90	450	64 x 74	215	16 x 500				
APM-10-B - 5 - 60 - 20	5000	60	132	2000	2000	300	90	450	64 x 74	215	16 x 500				
APM-10-B - 6 - 60 - 10	6000	60	139	1000	1000	300	90	450	82 x 74	215	16 x 500				
APM-10-B - 6 - 60 - 15	6000	60	142	1500	1500	300	90	450	82 x 74	285	16 x 500				
APM-10-B - 6 - 60 - 20	6000	60	144	2000	2000	300	90	450	82 x 74	285	16 x 500				
APM-10-B - 7 - 60 - 10	7000	60	151	1000	1000	300	90	500	84 x 74	285	20 x 600				
APM-10-B - 7 - 60 - 15	7000	60	154	1500	1500	300	90	500	84 x 74	285	20 x 500				
APM-10-B - 7 - 60 - 20	7000	60	156	2000	2000	300	90	500	84 x 74	285	20 x 500				
APM-10-B - 8 - 60 - 10	8000	60	163	1000	1000	370	130	500	63 x 124	285	20 x 600				
APM-10-B - 8 - 60 - 15	8000	60	166	1500	1500	370	130	500	63 x 124	285	20 x 600				
APM-10-B - 8 - 60 - 20	8000	60	168	2000	2000	370	130	500	63 x 124	285	20 x 600				
APM-10-B - 9 - 60 - 10	9000	60	175	1000	1000	370	130	500	87 x 124	285	22 x 700				
APM-10-B - 9 - 60 - 15	9000	60	178	1500	1500	370	130	500	87 x 124	285	22 x 700				
APM-10-B - 9 - 60 - 20	9000	60	180	2000	2000	370	130	500	87 x 124	285	22 x 700				
APM-10-B - 10 - 60 - 10	10000	60	187	1000	1000	370	130	500	95 x 124	285	22 x 700				
APM-10-B - 10 - 60 - 15	10000	60	190	1500	1500	370	130	500	95 x 124	285	22 x 700				
APM-10-B - 10 - 60 - 20	10000	60	192	2000	2000	370	130	500	95 x 124	285	22 x 700				
APM-10-B - 12 - 60 - 10	12000	60	211	1000	1000	370	130	500	129 x 124	285	22 x 700				
APM-10-B - 12 - 60 - 15	12000	60	214	1500	1500	370	130	500	129 x 124	285	22 x 700				
APM-10-B - 12 - 60 - 20	12000	60	216	2000	2000	370	130	500	129 x 124	285	22 x 700				
APM-10-B - 12 - 60 - 25	12000	60	221	2500	2000	370	130	500	129 x 124	285	22 x 700				
APM-10-B - 14 - 60 - 15	14000	60	238	1500	1500	370	130	500	161 x 124	285	24 x 800				
APM-10-B - 14 - 60 - 20	14000	60	240	2000	2000	370	130	500	161 x 124	285	24 x 800				
APM-10-B - 14 - 60 - 25	14000	60	245	2500	2000	370	130	500	161 x 124	285	24 x 800				
APM-10-B - 16 - 76 - 20	16000	76	280	2000	2000	370	130	500	210 x 124	350	27 x 1000				
APM-10-B - 16 - 76 - 25	16000	76	285	2500	2000	370	130	500	210 x 124	350	27 x 1000				
APM-10-B - 18 - 76 - 25	18000	76	309	2500	2000	370	130	500	238 x 124	350	27 x 1000				

EUROPEO

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.



Ref.

Ref.																	
					mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL		
EU-B	-	5	-	60	-	10	5000	60	127	1000	1000	400	85	500	63 x 79	215	16 x 500
EU-B	-	5	-	60	-	15	5000	60	130	1500	1500	400	85	500	63 x 79	215	16 x 500
EU-B	-	5	-	60	-	20	5000	60	132	2000	2000	400	85	500	63 x 79	215	16 x 500
EU-B	-	6	-	60	-	10	6000	60	139	1000	1000	400	85	500	66 x 79	215	16 x 500
EU-B	-	6	-	60	-	15	6000	60	142	1500	1500	400	85	500	66 x 79	215	16 x 500
EU-B	-	6	-	60	-	20	6000	60	144	2000	2000	400	85	500	66 x 79	215	16 x 500
EU-B	-	7	-	60	-	10	7000	60	151	1000	1000	400	85	500	79 x 79	285	20 x 600
EU-B	-	7	-	60	-	15	7000	60	154	1500	1500	400	85	500	79 x 79	215	20 x 600
EU-B	-	7	-	60	-	20	7000	60	156	2000	2000	400	85	500	79 x 79	215	20 x 600
EU-B	-	8	-	60	-	10	8000	60	163	1000	1000	400	85	500	97 x 79	285	20 x 600
EU-B	-	8	-	60	-	15	8000	60	166	1500	1500	400	85	500	97 x 79	285	20 x 600
EU-B	-	8	-	60	-	20	8000	60	168	2000	2000	400	85	500	97 x 79	285	20 x 600
EU-B	-	9	-	60	-	10	9000	60	168	1000	1000	500	100	500	93 x 94	285	22 x 700
EU-B	-	9	-	60	-	15	9000	60	168	1500	1500	500	100	500	93 x 94	285	22 x 700
EU-B	-	9	-	60	-	20	9000	60	168	2000	2000	500	100	500	93 x 94	285	22 x 700
EU-B	-	10	-	60	-	10	10000	60	180	1000	1000	500	100	500	111 x 94	285	22 x 700
EU-B	-	10	-	60	-	15	10000	60	180	1500	1500	500	100	500	111 x 94	285	22 x 700
EU-B	-	10	-	60	-	20	10000	60	180	2000	2000	500	100	500	111 x 94	285	22 x 700
EU-B	-	12	-	60	-	10	12000	60	204	1000	1000	500	100	500	141 x 94	285	22 x 700
EU-B	-	12	-	60	-	15	12000	60	204	1500	1500	500	100	500	141 x 94	285	22 x 700
EU-B	-	12	-	60	-	20	12000	60	204	2000	2000	500	100	500	141 x 94	285	22 x 700
EU-B	-	12	-	60	-	25	12000	60	204	2500	2000	500	100	500	141 x 94	285	22 x 700

EUROPEO 2P

Características geométricas · Caracteristiques geometriques · Geometric characteristics

Ref.

Ref.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL
EU-B-2P - 5 - 60 - 10	5000	60	118	2000	1000	1000	3 - 15	400	85	500	63 x 79	215	16 x 500			
EU-B-2P - 5 - 60 - 15	5000	60	118	2000	1500	1500	3 - 15	400	85	500	63 x 79	215	16 x 500			
EU-B-2P - 5 - 60 - 20	5000	60	118	2000	2000	2000	3 - 15	400	85	500	63 x 79	215	16 x 500			
EU-B-2P - 6 - 60 - 10	6000	60	132	2000	1000	1000	3 - 15	400	85	500	66 x 79	215	16 x 500			
EU-B-2P - 6 - 60 - 15	6000	60	132	2000	1500	1500	3 - 15	400	85	500	66 x 79	215	16 x 500			
EU-B-2P - 6 - 60 - 20	6000	60	132	2000	2000	2000	3 - 15	400	85	500	66 x 79	215	16 x 500			
EU-B-2P - 7 - 60 - 10	7000	60	146	2000	1000	1000	3 - 15	400	85	500	79 x 79	285	20 x 600			
EU-B-2P - 7 - 60 - 15	7000	60	146	2000	1500	1500	3 - 15	400	85	500	79 x 79	215	20 x 600			
EU-B-2P - 7 - 60 - 20	7000	60	146	2000	2000	2000	3 - 15	400	85	500	79 x 79	215	20 x 600			
EU-B-2P - 8 - 60 - 10	8000	60	160	2000	1000	1000	3 - 15	400	85	500	97 x 79	285	20 x 600			
EU-B-2P - 8 - 60 - 15	8000	60	160	2000	1500	1500	3 - 15	400	85	500	97 x 79	285	20 x 600			
EU-B-2P - 8 - 60 - 20	8000	60	160	2000	2000	2000	3 - 15	400	85	500	97 x 79	285	20 x 600			
EU-B-2P - 9 - 60 - 10	9000	60	174	2000	1000	1000	3 - 15	500	100	500	93 x 94	285	22 x 700			
EU-B-2P - 9 - 60 - 15	9000	60	174	2000	1500	1500	3 - 15	500	100	500	93 x 94	285	22 x 700			
EU-B-2P - 9 - 60 - 20	9000	60	174	2000	2000	2000	3 - 15	500	100	500	93 x 94	285	22 x 700			
EU-B-2P - 10 - 60 - 10	10000	60	188	2000	1000	1000	3 - 15	500	100	500	111 x 94	285	22 x 700			
EU-B-2P - 10 - 60 - 15	10000	60	188	2000	1500	1500	3 - 15	500	100	500	111 x 94	285	22 x 700			
EU-B-2P - 10 - 60 - 20	10000	60	188	2000	2000	2000	3 - 15	500	100	500	111 x 94	285	22 x 700			
EU-B-2P - 12 - 60 - 10	12000	60	216	2000	1000	1000	3 - 15	500	100	500	141 x 94	350	22 x 700			
EU-B-2P - 12 - 60 - 15	12000	60	216	2000	1500	1500	3 - 15	500	100	500	141 x 94	285	22 x 700			
EU-B-2P - 12 - 60 - 20	12000	60	216	2000	2000	2000	3 - 15	500	100	500	141 x 94	285	22 x 700			
EU-B-2P - 12 - 60 - 25	12000	60	216	2000	2500	2000	3 - 15	500	100	500	141 x 94	285	22 x 700			

* Las medidas pueden variar según países.
Les mesures peuvent varier selon pays.
Measurements may vary according to countries.



EUROPEO 2P-OC

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.



Ref.

Ref.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL
EU-B-2P-OC - 5 - 60 - 10	5000	60	118	2000	1000	1000	3 - 15	400	85	500	63 x 79	215	16 x 500				
EU-B-2P-OC - 5 - 60 - 15	5000	60	118	2000	1500	1500	3 - 15	400	85	500	63 x 79	215	16 x 500				
EU-B-2P-OC - 5 - 60 - 20	5000	60	118	2000	2000	2000	3 - 15	400	85	500	63 x 79	215	16 x 500				
EU-B-2P-OC - 6 - 60 - 10	6000	60	132	2000	1000	1000	3 - 15	400	85	500	66 x 79	215	16 x 500				
EU-B-2P-OC - 6 - 60 - 15	6000	60	132	2000	1500	1500	3 - 15	400	85	500	66 x 79	215	16 x 500				
EU-B-2P-OC - 6 - 60 - 20	6000	60	132	2000	2000	2000	3 - 15	400	85	500	66 x 79	215	16 x 500				
EU-B-2P-OC - 7 - 60 - 10	7000	60	146	2000	1000	1000	3 - 15	400	85	500	79 x 79	285	20 x 600				
EU-B-2P-OC - 7 - 60 - 15	7000	60	146	2000	1500	1500	3 - 15	400	85	500	79 x 79	215	20 x 600				
EU-B-2P-OC - 7 - 60 - 20	7000	60	146	2000	2000	2000	3 - 15	400	85	500	79 x 79	215	20 x 600				
EU-B-2P-OC - 8 - 60 - 10	8000	60	160	2000	1000	1000	3 - 15	400	85	500	97 x 79	285	20 x 600				
EU-B-2P-OC - 8 - 60 - 15	8000	60	160	2000	1500	1500	3 - 15	400	85	500	97 x 79	285	20 x 600				
EU-B-2P-OC - 8 - 60 - 20	8000	60	160	2000	2000	2000	3 - 15	400	85	500	97 x 79	285	20 x 600				
EU-B-2P-OC - 9 - 60 - 10	9000	60	174	2000	1000	1000	3 - 15	500	100	500	93 x 94	285	22 x 700				
EU-B-2P-OC - 9 - 60 - 15	9000	60	174	2000	1500	1500	3 - 15	500	100	500	93 x 94	285	22 x 700				
EU-B-2P-OC - 9 - 60 - 20	9000	60	174	2000	2000	2000	3 - 15	500	100	500	93 x 94	285	22 x 700				
EU-B-2P-OC - 10 - 60 - 10	10000	60	188	2000	1000	1000	3 - 15	500	100	500	111 x 94	285	22 x 700				
EU-B-2P-OC - 10 - 60 - 15	10000	60	188	2000	1500	1500	3 - 15	500	100	500	111 x 94	285	22 x 700				
EU-B-2P-OC - 10 - 60 - 20	10000	60	188	2000	2000	2000	3 - 15	500	100	500	111 x 94	285	22 x 700				
EU-B-2P-OC - 12 - 60 - 10	12000	60	216	2000	1000	1000	3 - 15	500	100	500	141 x 94	350	22 x 700				
EU-B-2P-OC - 12 - 60 - 15	12000	60	216	2000	1500	1500	3 - 15	500	100	500	141 x 94	285	22 x 700				
EU-B-2P-OC - 12 - 60 - 20	12000	60	216	2000	2000	2000	3 - 15	500	100	500	141 x 94	285	22 x 700				
EU-B-2P-OC - 12 - 60 - 25	12000	60	216	2000	2500	2000	3 - 15	500	100	500	141 x 94	285	22 x 700				

MIXTO

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.



Ref.

Ref.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL
MIXTO-B - 5 - 60 - 10	5000	60	127	1000	1000	400	85	500	67 x 79	215	16 x 500			
MIXTO-B - 5 - 60 - 15	5000	60	130	1500	1500	400	85	500	71 x 79	215	16 x 500			
MIXTO-B - 5 - 60 - 20	5000	60	132	2000	2000	400	85	500	75 x 79	215	16 x 500			
MIXTO-B - 6 - 60 - 10	6000	60	139	1000	1000	400	85	500	86 x 79	215	16 x 500			
MIXTO-B - 6 - 60 - 15	6000	60	142	1500	1500	400	85	500	89 x 79	215	16 x 500			
MIXTO-B - 6 - 60 - 20	6000	60	144	2000	2000	400	85	500	92 x 79	215	16 x 500			
MIXTO-B - 7 - 60 - 10	7000	60	151	1000	1000	400	85	500	101 x 79	285	20 x 600			
MIXTO-B - 7 - 60 - 15	7000	60	154	1500	1500	400	85	500	105 x 79	285	20 x 600			
MIXTO-B - 7 - 60 - 20	7000	60	156	2000	2000	400	85	500	108 x 79	285	20 x 600			
MIXTO-B - 8 - 60 - 10	8000	60	163	1000	1000	400	85	500	98 x 79	285	20 x 600			
MIXTO-B - 8 - 60 - 15	8000	60	166	1500	1500	400	85	500	102 x 79	285	20 x 600			
MIXTO-B - 8 - 60 - 20	8000	60	168	2000	2000	400	85	500	105 x 79	285	20 x 600			
MIXTO-B - 9 - 60 - 10	9000	60	168	1000	1000	500	100	500	116 x 94	285	22 x 700			
MIXTO-B - 9 - 60 - 15	9000	60	168	1500	1500	500	100	500	119 x 94	285	22 x 700			
MIXTO-B - 9 - 60 - 20	9000	60	168	2000	2000	500	100	500	122 x 94	285	22 x 700			
MIXTO-B - 10 - 60 - 10	10000	60	180	1000	1000	500	100	500	132 x 94	285	22 x 700			
MIXTO-B - 10 - 60 - 15	10000	60	180	1500	1500	500	100	500	135 x 94	285	22 x 700			
MIXTO-B - 10 - 60 - 20	10000	60	180	2000	2000	500	100	500	138 x 94	285	22 x 700			
MIXTO-B - 12 - 60 - 10	12000	60	204	1000	1000	500	100	500	154 x 94	285	22 x 700			
MIXTO-B - 12 - 60 - 15	12000	60	204	1500	1500	500	100	500	157 x 94	285	22 x 700			
MIXTO-B - 12 - 60 - 20	12000	60	204	2000	2000	500	100	500	158 x 94	285	22 x 700			
MIXTO-B - 12 - 60 - 25	12000	60	204	2500	2000	500	100	500	164 x 114	285	22 x 700			
MIXTO-B - 14 - 60 - 15	14000	60	228	1500	1500	600	150	500	184 x 144	285	24 x 800			
MIXTO-B - 14 - 60 - 20	14000	60	228	2000	2000	600	150	500	187 x 144	285	24 x 800			
MIXTO-B - 14 - 60 - 25	14000	60	228	2500	2000	600	150	500	193 x 144	285	24 x 800			