


AMÉRICA

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.



Ref.

Ref.				
		mm	mm	mm
AMÉRICA	- 6000	6000	60	3500 - 8000
AMÉRICA	- 7000	7000	60	3500 - 8000



APM-10

Características geométricas · Caracteristiques geometriques · Geometric characteristics

Ref.

																	MxL
APM-10-S - 6 - 88 - 35	6000	88	188	3500	2400	370	130	500	100 x 124	285	24 x 800						
APM-10-S - 6 - 88 - 40	6000	88	188	4000	2400	370	130	500	100 x 124	285	24 x 800						
APM-10-S - 6 - 88 - 45	6000	88	188	4500	2400	370	130	500	100 x 124	285	24 x 800						
APM-10-S - 6 - 88 - 55	6000	88	188	5500	2400	370	130	500	100 x 124	285	24 x 800						
APM-10-S - 6 - 88 - 65	6000	88	188	6500	2400	370	130	500	100 x 124	285	24 x 800						
APM-10-S - 7 - 88 - 35	7000	88	200	3500	2400	370	130	500	115 x 124	285	24 x 800						
APM-10-S - 7 - 88 - 40	7000	88	200	4000	2400	370	130	500	115 x 124	285	24 x 800						
APM-10-S - 7 - 88 - 45	7000	88	200	4500	2400	370	130	500	115 x 124	285	24 x 800						
APM-10-S - 7 - 88 - 55	7000	88	200	5500	2400	370	130	500	115 x 124	285	24 x 800						
APM-10-S - 7 - 88 - 65	7000	88	200	6500	2400	370	130	500	115 x 124	285	24 x 800						

* Las medidas pueden variar según países.
Les mesures peuvent varier selon pays.
Measurements may vary according to countries.



BCN

Características geométricas · Caracteristiques geometriques · Geometric characteristics

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.



Ref.





















					mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	MxL			
BCN-S	-	6	-	88	-	35	6000	88	188	3500	2400	300	125	550	100 x 140	285	24 x 800
BCN-S	-	6	-	88	-	40	6000	88	188	4000	2400	300	125	550	100 x 140	285	24 x 800
BCN-S	-	6	-	88	-	45	6000	88	188	4500	2400	300	125	550	100 x 140	285	24 x 800
BCN-S	-	6	-	88	-	55	6000	88	188	5500	2400	300	125	550	100 x 140	285	24 x 800
BCN-S	-	6	-	88	-	65	6000	88	188	6500	2400	300	125	550	100 x 140	285	24 x 800
BCN-S	-	7	-	88	-	35	7000	88	200	3500	2400	300	125	550	115 x 140	285	24 x 800
BCN-S	-	7	-	88	-	40	7000	88	200	4000	2400	300	125	550	115 x 140	285	24 x 800
BCN-S	-	7	-	88	-	45	7000	88	200	4500	2400	300	125	550	115 x 140	285	24 x 800
BCN-S	-	7	-	88	-	55	7000	88	200	5500	2400	300	125	550	115 x 140	285	24 x 800
BCN-S	-	7	-	88	-	65	7000	88	200	6500	2400	300	125	550	115 x 140	285	24 x 800



FROCT

Características geométricas · Caracteristiques geometriques · Geometric characteristics

Ref.

																				
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	f x g (mm)	mm	mm	MxL				
FROC-S - 6 - 88 - 35	6000	88	188	3500	2400	300	125	550	100 x 140	285	24 x 800									
FROC-S - 6 - 88 - 40	6000	88	188	4000	2400	300	125	550	100 x 140	285	24 x 800									
FROC-S - 6 - 88 - 45	6000	88	188	4500	2400	300	125	550	100 x 140	285	24 x 800									
FROC-S - 6 - 88 - 55	6000	88	188	5500	2400	300	125	550	100 x 140	285	24 x 800									
FROC-S - 6 - 88 - 65	6000	88	188	6500	2400	300	125	550	100 x 140	285	24 x 800									
FROC-S - 7 - 88 - 35	7000	88	200	3500	2400	300	125	550	115 x 140	285	24 x 800									
FROC-S - 7 - 88 - 40	7000	88	200	4000	2400	300	125	550	115 x 140	285	24 x 800									
FROC-S - 7 - 88 - 45	7000	88	200	4500	2400	300	125	550	115 x 140	285	24 x 800									
FROC-S - 7 - 88 - 55	7000	88	200	5500	2400	300	125	550	115 x 140	285	24 x 800									
FROC-S - 7 - 88 - 65	7000	88	200	6500	2400	300	125	550	115 x 140	285	24 x 800									

* Las medidas pueden variar según países.
 Les mesures peuvent varier selon pays.
 Measurements may vary according to countries.

